

STUDY TIPS

AS1.1: ALGEBRAIC OPERATIONS

Like Terms

Like terms contain exactly the same *pronumerals* (letters, variables)

Like Terms	Unlike terms
3x, 5x	3x, 4y
2a, -3a	3a, 3
3m ² , m ²	3m ² , 3m
2ab, 3ab	2a ² b, 3ab ²
3ef, 5fe	3ef, 7fg

NB: Order is unimportant but alphabetical order of pronumerals is conventional

See Exercise 1

Addition and Subtraction

Only like terms may be added or subtracted.

$$1. \quad 7e + 10e = (7 + 10)e \quad [\text{eventually it is possible to just THINK the second step and go straight to the answer}]$$

$$= 17e$$

$$2. \quad 3x^2 - x^2 - 4x^2 = (3 - 1 - 4)x^2$$

$$= -2x^2$$

$$3. \quad 3m - 4n + 6m + n = (3 + 6)m + (-4 + 1)n$$

$$= 9m - 3n$$

$$4. \quad 3a - b - 5a + 4ab - 3b + ab = (3 - 5)a + (-1 - 3)b + (4 + 1)ab$$

$$= -2a - 4b + 5ab$$

$$5. \quad 3x - x^2 \text{ cannot be simplified}$$

$$6. \quad p + 2p - 3 = 3p - 3$$

$$7. \quad 8uv + 3u - 10vu = -2uv + 3u$$

$$8. \quad 6r^2s - 2rs^2 \text{ cannot be simplified}$$

See Exercise 2

Multiplication

Consider the sign (positive or negative) of the answers to the following simple multiplication problems

$$2 \times 3 = 6 \quad \text{positive} \times \text{positive} \rightarrow \text{positive}$$

$$-2 \times 3 = -6 \quad \text{negative} \times \text{positive} \rightarrow \text{negative}$$

$$2 \times -3 = -6 \quad \text{positive} \times \text{negative} \rightarrow \text{negative}$$

$$-2 \times -3 = 6 \quad \text{negative} \times \text{negative} \rightarrow \text{positive}$$

Terms can be multiplied whether they are like or unlike terms.

When multiplying two or more terms consider

- the sign of the answer
- the product of the numbers

and use an index to show

- how many factors of each pronumeral

1. $(-4) \times (-3b) = 12b$

2. $-2 \times 6y = -12y$

3. $2e \times (-5e^2) = -10e^3$

4. $(-2u^2v) \times (-4v) = 8u^2v^2$

5. $-3pq \times (-2q) \times p = 6p^2q^2$

In algebra a fraction line means to divide eg. $\frac{1}{2} = 1 \div 2$, $\frac{3}{4} = 3 \div 4$

When dividing algebraic expressions

- ● rewrite as a fraction if necessary
- ● expand any powers
- ● establish the sign of the answer
- ● cancel factors
- ● write the answer in simplified form


1. $-12wyz \div 3yz = \frac{-12wyz}{3yz} = -4w$

2. $-2m^2n \div 6mn^2 = \frac{-2m^2n}{6mn^2} = \frac{-2mmn}{6mnn} = -\frac{m}{3n}$

3. $6a^2 \times 4b \div 12ab = \frac{6aax4b}{12ab} = 2a$

NB: $\frac{m+2}{4m}$ CANNOT be simplified!!!

See Exercise 3



Order of Operations

Consider $4 + 3 \times 2 + 5$. *What is the answer?*

$$4 + 3 \times 2 + 5 \rightarrow \cancel{7} \times 7 = 49?$$

$$4 + 3 \times 2 + 5 \rightarrow 4 + \cancel{3} \times 7 = 25?$$

$$4 + 3 \times 2 + 5 \rightarrow \cancel{7} \times 2 + 5 = 19?$$

To avoid such confusion we perform operations in the following order

1. **B**rackets **B**
2. **I**ndices **I**
3. **M**ultiplication and **D**ivision from left to right **M**
D
4. **A**ddition and **S**ubtraction from left to right **A**
S

To make it easier to remember the rule for order of operations is abbreviated to **B I M D A S**

Using this rule $4 + 3 \times 2 + 5 = 4 + 6 + 5 = 15!!$

Examples:

1. $3 \times 2 + 4 = 6 + 4 = 10$
2. $3 + 2 \times 4 = 3 + 8 = 11$
3. $(3 + 2) \times 4 = 5 \times 4 = 20$
4. $3 - 2^2 = 3 - 4 = -1$
5. $(3 - 2)^2 = 1^2 = 1$
6. $3^2 - 2^2 = 3 \times 3 - 2 \times 2 = 9 - 4 = 5$
7. $3st - 3s \times 4t = 3st - 12st = -9st$

See Exercise 4

Exercises

Exercise 1

Which of the five terms on the right is a like term with the term on the left?

- | | | | | | |
|-------------|------|----------|--------|---------|---------|
| 1) $3x$ | 3 | $2x$ | $3x^2$ | $2xy$ | $4x^2a$ |
| 2) $2ab$ | $2a$ | $2b$ | $3x^2$ | $6abc$ | $12ab$ |
| 3) $2x^2$ | x | $2x$ | $5x^2$ | $4x$ | $4x^3$ |
| 4) $3xy^2$ | 3 | $3xy$ | $3x^2$ | xy^2 | $3y^2$ |
| 5) $2m^2n$ | n | mn^2 | $8mn$ | $2m^2$ | $4nm^2$ |
| 6) $4ab^2c$ | 4 | $2ab^2c$ | $4abc$ | $8b^2c$ | $4cba$ |

Exercise 2

Simplify each of the following.

- | | |
|-------------------|-----------------------|
| a) $5x + 3x$ | b) $12x - 7x$ |
| c) $15xy + 5xy$ | d) $11mn - 5mn$ |
| e) $10abc - 3bca$ | f) $10m - 22m$ |
| g) $6x + 3x + 4x$ | h) $4ab + 5ab - 2ab$ |
| i) $m + 2m - 9m$ | j) $14xy - 4xy + 2xy$ |
- | | |
|--------------------------------|----------------------------|
| a) $13x + 4 - 3x - 1$ | b) $10mn + 5m + 12mn + 6m$ |
| c) $3xy^2 + 2xy + 5xy^2 + 3xy$ | d) $5xy + 6m - 2xy - 2m$ |
| e) $x + y + 2x - y$ | f) $3a + 5b - a - 6b$ |
| g) $x + 4y - x - 2y$ | h) $7x - 4m - 5x - 3m$ |
| i) $4x - 5x - 3y + 5x$ | j) $9mn - 3m - n + 4m^2$ |

Exercise 3

Simplify the following algebraic expressions

- | | |
|---------------------------|---------------------------------|
| a) $5 \times 2k$ | b) $4a \times 3ab$ |
| c) $y \times 3y$ | d) $4m \times (-3mn)$ |
| e) $m \times 3p \times 5$ | f) $2ab \times 3bc \times (-4)$ |
| g) $2ab^2 \times 3ac$ | h) $4m \times (-5kmp)$ |
- | | |
|-------------------------------|---------------------------------|
| a) $18ef \div 6f$ | b) $-100uvw \div 100w$ |
| c) $24gh^2 \div 8gh$ | d) $3m^2n \div 12mn^2$ |
| e) $rs \times 2st \div 2s$ | f) $3jk \times 12km \div 9jkm$ |
| g) $10p \times 3pq \div 16pq$ | h) $4yz \times 5w^2z \div 10wy$ |

Exercise 4

Simplify

- | | |
|--------------------------|---------------------------------------|
| 1) $18 + (3 \times -5)$ | 2) $3 \times -4 + (8 \times 2)$ |
| 3) $10 - 5^2 + 3$ | 4) $(10 - 5)^2 + 3$ |
| 5) $10^2 - 5^2$ | 6) $(10 - 5)^2$ |
| 7) $3m + 2 \times 3m$ | 8) $6ab - 3a \times 4b$ |
| 9) $16gh - 4gh \times 4$ | 10) $9b - 3b \times 2k + 2k \times b$ |

Answers

Exercise 1

- | | | | | | |
|---------|-----------|-----------|-----------|------------|-------------|
| 1. $2x$ | 2. $12ab$ | 3. $5x^2$ | 4. xy^2 | 5. $4nm^2$ | 6. $2ab^2c$ |
|---------|-----------|-----------|-----------|------------|-------------|

Exercise 2

- | | | | | |
|-----------|----------|-----------|----------|-----------|
| a. $8x$ | b. $5x$ | c. $20xy$ | d. $6mn$ | e. $7abc$ |
| f. $-12m$ | g. $13x$ | h. $7ab$ | i. $-6m$ | j. $12xy$ |
- | | |
|------------------|--------------------------|
| a. $10x + 3$ | b. $22mn + 11m$ |
| c. $8xy^2 + 5xy$ | d. $3xy + 4m$ |
| e. $3x$ | f. $2a - b$ |
| g. $2y$ | h. $2x - 7m$ |
| i. $4x - 3y$ | j. $9mn - 3m - n + 4m^2$ |

Exercise 3

- | | | | | | | | |
|----------|-------------|-----------|--------------|-----------|---------------|---------------|---------------|
| a. $10k$ | b. $12a^2b$ | c. $3y^2$ | d. $-12m^2n$ | e. $15mp$ | f. $-24ab^2c$ | g. $6a^2b^2c$ | h. $-20km^2p$ |
|----------|-------------|-----------|--------------|-----------|---------------|---------------|---------------|
- | | | | | | | | |
|---------|----------|---------|-------------------|----------|---------|--------------------|------------|
| a. $3e$ | b. $-uv$ | c. $3h$ | d. $\frac{m}{4n}$ | e. rst | f. $4k$ | g. $\frac{15p}{8}$ | h. $2wz^2$ |
|---------|----------|---------|-------------------|----------|---------|--------------------|------------|

Exercise 4

- | | | | | |
|---------|---------|-----------|---------|----------------|
| 1. 3 | 2. 4 | 3. -12 | 4. 28 | 5. 75 |
| 6. 25 | 7. $9m$ | 8. $-6ab$ | 9. 0 | 10. $9b - 4bk$ |